

CH	Frequency							Tone/TSQ/DTCS					Digital											
	Operating Freq	Dup	Dup Reverse	Offset Freq	Tx Inhibit	TS	RF Power	Tone	Tone Freq	TSQ Freq	DTCS	DTCS Polarity	Mode	Code	My Callsign	You Callsign	Rpt-1 Callsign	Rpt-2 Callsign	DTMF	Mode	Name ON/OFF	Name	Skip	Bank
0	146.9500	-DUP	OFF	0.6000	Enable	5k	Low		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
1	146.7000	-DUP	OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
2	147.1500	+DUP	OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
3	147.2500	+DUP	OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
4	146.6500	-DUP	OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
5	146.6250	-DUP	OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
6	145.1250		OFF	0.6000	Enable	5k	Mid-H		88.5	88.5	023	Both N	ON	0	C1	C1	C1	C2	OFF	FM	OFF			A
7	146.8375	-DUP	OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	ON	0	C1	C1	C1	C2	OFF	FM	OFF			A
8	146.5850		OFF	0.6000	Enable	5k	Mid-H		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
9	146.5000		OFF	0.6000	Enable	5k	Mid-H		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
10	147.1850		OFF	0.6000	Enable	5k	Low		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
11	146.7500	-DUP	OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
12	147.2250		OFF	0.6000	Enable	5k	Low		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF	2M PAR		A
13	146.5250		OFF	0.6000	Enable	5k	Mid-H		123.0	123.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
14	146.9000	-DUP	OFF	0.6000	Enable	5k	High		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
15	145.5750		OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF		Skip	A
16	145.4500		OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
17	146.8000	-DUP	OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
18	146.5500		OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
19	147.2000	+DUP	OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF	CATABY		A
20	146.6750	-DUP	OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF	AVON V		A
21																								
22																								
23																								
24																								
25																								
26																								
27																								
28																								
29																								
30																								
31																								
32																								
33																								
34																								
35																								
36																								
37																								
38																								
39																								
40	133.9000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	MELB C		B

CH	Frequency							Tone/TSQ/DTCS					Digital											
	Operating Freq	Dup	Dup Reverse	Offset Freq	Tx Inhibit	TS	RF Power	Tone	Tone Freq	TSQ Freq	DTCS	DTCS Polarity	Mode	Code	My Callsign	You Callsign	Rpt-1 Callsign	Rpt-2 Callsign	DTMF	Mode	Name ON/OFF	Name	Skip	Bank
41	125.2000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	MELB C		B
42	132.9500		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	PTH CL		B
43	123.6000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	PTH AP		B
44	118.7000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	PTH DE		B
45	128.1000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	PTH RA		B
46	120.5000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	PTH TO		B
47	121.7000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	PTH GR		B
48	123.8000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	PTH AT	Skip	B
49	118.1000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	JND TO		B
50	124.3000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	JND GR		B
51	120.9000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	JND AT	Skip	B
52	119.4000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	JND CI		B
53	135.2500		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	WHAT		B
54	129.9000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	JND FU		B
55	129.5000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	Q LOGI		B
56																								
57																								
58																								
59																								
60																								
61																								
62																								
63																								
64																								
65																								
66																								
67																								
68																								
69																								
70																								
71																								
72																								
73																								
74																								
75																								
76																								
77																								
78																								
79																								
80																								
81																								

CH	Frequency							Tone/TSQ/DTCS					Digital						DTMF	Mode	Name ON/OFF	Name	Skip	Bank				
	Operating Freq	Dup	Dup Reverse	Offset Freq	Tx Inhibit	TS	RF Power	Tone	Tone Freq	TSQ Freq	DTCS	DTCS Polarity	Mode	Code	My Callsign	You Callsign	Rpt-1 Callsign	Rpt-2 Callsign										
82																												
83																												
84																												
85																												
86																												
87																												
88																												
89																												
90																												
91																												
92																												
93																												
94																												
95																												
96																												
97																												
98																												
99																												
100																												
101																												
102																												
103																												
104																												
105																												
106																												
107																												
108																												
109																												
110																												
111																												
112																												
113																												
114																												
115																												
116																												
117																												
118																												
119																												
120																												
121																												
122																												

CH	Frequency							Tone/TSQL/DTCS					Digital				DTMF	Mode	Name ON/OFF	Name	Skip	Bank	
	Operating Freq	Dup	Dup Reverse	Offset Freq	Tx Inhibit	TS	RF Power	Tone	Tone Freq	TSQL Freq	DTCS	DTCS Polarity	Mode	Code	My Callsign	You Callsign							Rpt-1 Callsign
123																							
124																							
125																							
126																							
127																							
128																							
129																							
130																							
131																							
132																							
133																							
134																							
135																							
136																							
137																							
138																							
139																							
140																							
141																							
142																							
143																							
144																							
145																							
146																							
147																							
148																							
149																							
150																							
151																							
152																							
153																							
154																							
155																							
156																							
157																							
158																							
159																							
160																							
161																							
162																							
163																							

CH	Frequency							Tone/TSQ/DTCS					Digital						DTMF	Mode	Name ON/OFF	Name	Skip	Bank			
	Operating Freq	Dup	Dup Reverse	Offset Freq	Tx Inhibit	TS	RF Power	Tone	Tone Freq	TSQ Freq	DTCS	DTCS Polarity	Mode	Code	My Callsign	You Callsign	Rpt-1 Callsign	Rpt-2 Callsign									
164																											
165																											
166																											
167																											
168																											
169																											
170																											
171																											
172																											
173																											
174																											
175																											
176																											
177																											
178																											
179																											
180																											
181																											
182																											
183																											
184																											
185																											
186																											
187																											
188																											
189																											
190																											
191																											
192																											
193																											
194																											
195																											
196																											
197																											
198																											
199																											
1A																											
1B																											
2A																											
2B																											
3A																											

CH	Frequency							Tone/TSQL/DTCS					Digital											
	Operating Freq	Dup	Dup Reverse	Offset Freq	Tx Inhibit	TS	RF Power	Tone	Tone Freq	TSQL Freq	DTCS	DTCS Polarity	Mode	Code	My Callsign	You Callsign	Rpt-1 Callsign	Rpt-2 Callsign	DTMF	Mode	Name ON/OFF	Name	Skip	Bank
3B																								
C	146.0100		OFF	0.6000	Enable	5k	High		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF		---	---

No.	Select	Code
D0	S	
D1		
D2		
D3		
D4		
D5		
D6		
D7		
D8		
D9		
DA		
DB		
DC		
DD		
DE		
DF		

DTMF Speed

Speed 100ms

My Callsign

CS-2200H Rev.1.1

No.	Callsign
C1	VK6SKY D
C2	
C3	
C4	
C5	
C6	

No.	Callsign
C1	CQCQCQ
C2	WB7DZGCL
C3	U
C4	XRF019BC
C5	W7GC CL
C6	REF001CL

Repeater Callsign

CS-2200H Rev.1.1

No.	Callsign
C1	VK6RWN C
C2	VK6RWN G
C3	
C4	
C5	
C6	

No.	Select	Message
C1	S	FR- VK6SKY NAME -IAN
C2		
C3		
C4		
C5		
C6		

Display / Beep	
Bright	4
Color	Amber
Operation Beep	ON
Timer	
TOT	2m00s
Auto Power-OFF	OFF
Mic Function	
Mic Up	MIC-UP
Mic Down	MIC-DN
Scan	
Edge	All
Resume	T-15
Bank Link	
Link	OFF
A-J	ABCDEFGHIJ
WX	
WX Alert	OFF
WX CH	1
Digital	
Break	OFF
Emergency	OFF
Auto Data Tx	OFF
Speed	4800bps
Standby Beep	ON
Rx Callsign Auto Write	OFF
Repeater Callsign Auto Write	OFF
GPS	
Control Mode	OFF
Auto Tx Timer	OFF
etc.	
Auto Repeater	OFF
Lockout	OFF
Squelch Delay	Short
S-Meter Squelch	OFF
RF Attenuator	OFF

ALC	OFF
Memory Disp	Freq
Comment	VK6SKY IC-2200H

Status		Frequency							Tone/TSQ/DTCS					Digital									
VMC	CH No	Operating Freq	Dup	Dup Reverse	Offset Freq	Tx Inhibit	TS	RF Power	Tone	Tone Freq	TSQ Freq	DTCS	DTCS Polarity	Mode	Code	My Callsign	You Callsign	Rpt-1 Callsign	Rpt-2 Callsign	DTMF	Mode	Name ON/OFF	Name
VFO	---	146.0100		OFF	0.6000	Enable	5k	High		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	---	---

Display / Beep	
Bright	4
Color	Amber
Operation Beep	ON
Timer	
TOT	OFF
Auto Power-OFF	OFF
Mic Function	
Mic Up	MIC-UP
Mic Down	MIC-DN
Scan	
Edge	All
Resume	T-15
Bank Link	
Link	OFF
A-J	ABCDEFGHIJ
WX	
WX Alert	OFF
Digital	
Break	OFF
Emergency	OFF
Auto Data Tx	OFF
Speed	9600bps
Standby Beep	OFF
Rx Callsign Auto Write	OFF
Repeater Callsign Auto Write	OFF
GPS	
Control Mode	OFF
Auto Tx Timer	3m00s
etc.	
Auto Repeater	R1 (Duplex Only)
Lockout	OFF
Squelch Delay	Short
S-Meter Squelch	OFF
RF Attenuator	ON
ALC	OFF

Memory Disp Freq

Status		Frequency							Tone/TSQ/DTCS					Digital									
VMC	CH No	Operating Freq	Dup	Dup Reverse	Offset Freq	Tx Inhibit	TS	RF Power	Tone	Tone Freq	TSQ Freq	DTCS	DTCS Polarity	Mode	Code	My Callsign	You Callsign	Rpt-1 Callsign	Rpt-2 Callsign	DTMF	Mode	Name ON/OFF	Name
VFO	---	146.0100		OFF	0.6000	Enable	5k	High		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	---	---

Display / Beep	
Bright	4
Color	Amber
Operation Beep	ON
Timer	
TOT	OFF
Auto Power-OFF	OFF
Mic Function	
Mic Up	MIC-UP
Mic Down	MIC-DN
Scan	
Edge	All
Resume	T-15
Bank Link	
Link	OFF
A-J	ABCDEFGHIJ
WX	
WX Alert	OFF
Digital	
Break	OFF
Emergency	OFF
Auto Data Tx	OFF
Speed	9600bps
Standby Beep	OFF
Rx Callsign Auto Write	OFF
Repeater Callsign Auto Write	OFF
GPS	
Control Mode	OFF
Auto Tx Timer	3m00s
etc.	
Auto Repeater	R1 (Duplex Only)
Lockout	OFF
Squelch Delay	Short
S-Meter Squelch	OFF
RF Attenuator	ON
ALC	OFF

Memory Disp Freq